### WITEGA Laboratorien Berlin-Adlershof GmbH



# **Safety Data Sheet**

according to UK REACH Regulation

# Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Formoterol-D6 acetate (mixture of diastereomers)

## Further trade names

N-[2-Hydroxy-5-[1-hydroxy-2-[[2'-(4-methoxyphenyl)-1'-methyl-D3-ethyl-1,2,2-D3]amino]ethyl]phenyl]formamide

acetate

Substance name: Formoterol-D6 acetate(mixture of diastereomers)

CAS No: na

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reference standard for analysis.

### 1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH

Street: James-Franck-Strasse 4

Place: D-12489 Berlin

Telephone: +493063922001 Telefax: +493063922007

e-mail: witega@witega.de
Internet: www.witega.de

1.4. Emergency telephone +493063922001

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Repr. 2; H361d Acute Tox. 4; H332 STOT SE 1; H370 STOT RE 2; H373 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# **GB CLP Regulation**

Signal word: Danger

Pictograms:





## **Hazard statements**

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

#### 2.3. Other hazards

No data available



according to UK REACH Regulation

## Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 2 of 7

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Sum formula: C19H18D6N2O4 × C2H4O2

Molecular weight: 410.49 g/mol

## **Hazardous components**

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
na	Formoterol-D6 acetate(mixture of diastereomers)			100 %
	Repr. 2, Acute Tox. 4, STOT SE 1, STOT RE 2, Aquatic Chronic 3; H361d H332 H370 H373 H412			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
na		Formoterol-D6 acetate(mixture of diastereomers)	100 %	
inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 1,35 mg/l (dusts or mists); oral: LD50 = 3130 mg/kg				

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

### WITEGA Laboratorien Berlin-Adlershof GmbH



## **Safety Data Sheet**

according to UK REACH Regulation

## Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 3 of 7

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Take up dust-free and set down dust-free.

### 6.4. Reference to other sections

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

# Advice on general occupational hygiene

Use personal protection equipment.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

## Further information on storage conditions

storage temperature: 2-8°C

## 7.3. Specific end use(s)

none

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# 8.2. Exposure controls

## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Eye glasses with side protection

## Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

### Skin protection

lab coat

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to UK REACH Regulation

## Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 4 of 7

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: white
Odour: odourless

Melting point/freezing point: 70-74 °C
Boiling point or initial boiling point and No data available

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available No data available pH-Value: Water solubility: No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

No data available

No data available

No data available

No data available

Relative vapour density:

No data available

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

**Further Information** 

none

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with: Oxidising agent, Alkali (Iye), Etchant and acids

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

# 10.5. Incompatible materials

Oxidising agent, Alkali (Iye), Etchant and acids



according to UK REACH Regulation

## Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 5 of 7

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

## **Acute toxicity**

Harmful if inhaled.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
na	Formoterol-D6 acetate	Formoterol-D6 acetate(mixture of diastereomers)						
	oral	LD50 mg/kg	3130	Rat				
	inhalation vapour	ATE	11 mg/l					
	inhalation (4 h) dust/mist	LC50	1,35 mg/l	Rat				

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging the unborn child. (Formoterol-D6 acetate(mixture of diastereomers))

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Causes damage to organs. (Formoterol-D6 acetate(mixture of diastereomers))

## STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Formoterol-D6 acetate(mixture of diastereomers))

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
na	Formoterol-D6 acetate(mixture of diastereomers)							
	Acute fish toxicity	LC50	268 mg/l		Carassius auratus (goldfish)			
	Acute crustacea toxicity	EC50	54 mg/l		Daphnia magna (Big water flea)			

## 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## WITEGA Laboratorien Berlin-Adlershof GmbH



## **Safety Data Sheet**

according to UK REACH Regulation

## Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 6 of 7

### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH. Annex XIII.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

### **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.2. UN proper shipping name:</u> No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

No data available

# 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**



according to UK REACH Regulation

# Formoterol-D6 acetate (mixture of diastereomers)

Revision date: 27.02.2024 Product code: BA086 Page 7 of 7

# Relevant H and EUH statements (number and full text)

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

### **Further Information**

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.