### WITEGA Laboratorien Berlin-Adlershof GmbH

Telefax: +493063922007



# **Safety Data Sheet**

according to UK REACH Regulation

**Capstone B-D6** 

Revision date: Product code: PF003 Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Capstone B-D6

### **Further trade names**

N-(Carboxymethyl)-N, N-dimethyl-D6-3-[[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)sulfonyl]amino]

-1-propanaminium inner salt

CAS No: na

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Reference standard for analysis.

# 1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH

Street: James-Franck-Strasse 4

Place: D-12489 Berlin
Telephone: +493063922001

e-mail: witega@witega.de
Internet: www.witega.de

1.4. Emergency telephone +493063922001

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# **GB CLP Regulation**

Signal word: Warning

Pictograms:



# **Hazard statements**

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to hazardous or special waste collection point.

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

3.2. Mixtures

Sum formula: C15H13D6F13N2O4S

Molecular weight: 576.40 g/mol



according to UK REACH Regulation

Capst		Capstone B-D6	
	Revision date:	Product code: PF003	Page 2 of 7

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)	ssification (GB CLP Regulation)		
na	Capstone B-D6			100 %
	Aquatic Chronic 2; H411			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
na		Capstone B-D6	100 %
	oral: LD50 = >5000 mg/kg		

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

# 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

### WITEGA Laboratorien Berlin-Adlershof GmbH



# **Safety Data Sheet**

according to UK REACH Regulation

### **Capstone B-D6**

Revision date: Product code: PF003 Page 3 of 7

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Take up dust-free and set down dust-free.

#### 6.4. Reference to other sections

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

### Advice on general occupational hygiene

Use personal protection equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

# Further information on storage conditions

storage temperature: 2-8°C

# 7.3. Specific end use(s)

none

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Eye glasses with side protection

# **Hand protection**

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### Skin protection

lab coat

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: white
Odour: odourless

Melting point/freezing point: 165-170 °C



### according to UK REACH Regulation

**Capstone B-D6** 

Revision date: Product code: PF003 Page 4 of 7

Boiling point or initial boiling point and

No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available No data available Decomposition temperature: pH-Value: No data available Water solubility: No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

No data available

No data available

No data available

No data available

Relative vapour density:

No data available

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties
No data available
Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

**Further Information** 

none

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with: Oxidising agent, Alkali (lye), Etchant and acids

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

# 10.5. Incompatible materials

Oxidising agent, Alkali (lye), Etchant and acids

# 10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

# **Acute toxicity**

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

	Capstone B-D6	
Revision date:	Product code: PF003	Page 5 of 7

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
na	Capstone B-D6					
	oral	LD50 >5000 mg/kg	Rat			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No data available

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
na	Capstone B-D6						
	Acute fish toxicity	LC50	>35 mg/l		Oryzias latipes (Ricefish)		
	Acute algae toxicity	ErC50 mg/l	1.36		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	144 mg/l		Daphnia magna (Big water flea)		

# 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available



according to UK REACH Regulation

Capstone B-D6

Revision date: Product code: PF003 Page 6 of 7

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3077

14.2. UN proper shipping name: Environmentally hazardous substances, solid, n.o.s.

14.3. Transport hazard class(es):914.4. Packing group:III

Hazard label: 9



Classification code: M7

Special Provisions: 274, 335, 375, 601

Limited quantity: 5 kg
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3077

**14.2. UN proper shipping name:** Environmentally hazardous substances, solid, n.o.s.

14.3. Transport hazard class(es): 9
14.4. Packing group: | | | | |

Marine transport (IMDG)

14.1. UN number or ID number: UN 3077

**14.2. UN proper shipping name:** Environmentally hazardous substances, solid, n.o.s.

14.3. Transport hazard class(es):914.4. Packing group:III

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3077

**14.2. UN proper shipping name:** Environmentally hazardous substances, solid, n.o.s.

14.3. Transport hazard class(es): 9
14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



### 14.6. Special precautions for user

No data available

# 14.7. Maritime transport in bulk according to IMO instruments





according to UK REACH Regulation

**Capstone B-D6** 

Revision date: Product code: PF003 Page 7 of 7

No transport as bulk according to IBC Code.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Relevant H and EUH statements (number and full text)

H411 Toxic to aquatic life with long lasting effects.

#### **Further Information**

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)