

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 1 of 14

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Beta agonists Mix; various concentrations in Ethanol (Mix 1)

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Reference standard for analysis.

##### 1.3. Details of the supplier of the safety data sheet

Company name:	WITEGA Laboratorien Berlin-Adlershof GmbH	
Street:	James-Franck-Strasse 4	
Place:	D-12489 Berlin	
Telephone:	+493063922001	Telefax: +493063922007
E-mail:	witega@witega.de	
Internet:	www.witega.de	

##### 1.4. Emergency telephone number:

+493063922001

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Flam. Liq. 2; H225

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

Signal word: Danger

Pictograms:



###### Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H360D May damage the unborn child.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P262 Do not get in eyes, on skin, or on clothing.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P381 In case of leakage, eliminate all ignition sources.

##### 2.3. Other hazards

No data available

#### SECTION 3: Composition/information on ingredients

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 2 of 14

#### 3.2. Mixtures

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 3 of 14

#### Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
64-17-5	ethanol; ethyl alcohol	95 - < 100 %
	200-578-6	
	603-002-00-5	
	Flam. Liq. 2; H225	
78982-84-0	Bromchlorbuterol hydrochloride	< 1 %
	Acute Tox. 4; H302	
54239-39-3	Cimbuterol	< 1 %
38339-11-6	Clenproperol	< 1 %
	Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H315 H320 H335	
54238-51-6	Mapenterol hydrochloride	< 1 %
	Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H315 H320 H335	
56776-01-3	Tulobuterol hydrochloride	< 1 %
	Acute Tox. 4; H302	
1435934-75-0	Clencyclohexerol hydrochloride	< 1 %
	Acute Tox. 4; H302	
54240-36-7	Mabuterol hydrochloride	< 1 %
	Acute Tox. 4; H302	
37158-47-7	Clenpenterol hydrochloride	< 1 %
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H302 H315 H320 H335	
1435935-00-4	Clenisopenterol hydrochloride	< 1 %
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H302 H315 H320 H335	
54239-37-1	Cimaterol	< 1 %
	Acute Tox. 4; H302	
41937-02-4	Brombuterol	< 1 %
1346746-81-3	Phenylethanolamine A	< 1 %
	Acute Tox. 4; H302	
37162-89-3	Hydroxymethylclenbuterol hydrochloride	< 1 %
	Acute Tox. 4; H302	
	Orciprenaline acetate	< 1 %
	Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H315 H320 H335	
	Terbutaline acetate	< 1 %
	Repr. 2, Resp. Sens. 1, Skin Sens. 1; H361 H334 H317	
94749-08-3	Salmeterol xinafoate	< 1 %
90274-24-1	Ractopamine hydrochloride	< 1 %
	Acute Tox. 4, Acute Tox. 4, Skin Sens. 1; H332 H302 H317	
1944-12-3	Fenoterol hydrobromide	< 1 %
	Acute Tox. 4; H302	
579-56-6	erythro-Isoxsuprine hydrochloride	< 1 %

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 4 of 14

	Acute Tox. 4, Aquatic Acute 1; H302 H400	
119520-06-8	Zilpaterol hydrochloride	< 1 %
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4; H332 H312 H302	
1613439-57-8	Carbuterol acetate	< 1 %
	Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H315 H320 H335	
21898-19-1	Clenbuterol hydrochloride	< 1 %
	Acute Tox. 3; H301	
18559-94-9	Salbutamol	< 1 %
	Acute Tox. 4; H302	

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 5 of 14

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol; ethyl alcohol	95 - < 100 %
		inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg	
78982-84-0		Bromchlorbuterol hydrochloride	< 1 %
		oral: ATE = 500 mg/kg	
54239-39-3		Cimbuterol	< 1 %
		inhalation: Data lacking (gases); dermal: Data lacking; oral: Data lacking	
56776-01-3		Tulobuterol hydrochloride	< 1 %
		oral: LD50 = 850 mg/kg	
1435934-75-0		Clencyclohexerol hydrochloride	< 1 %
		oral: ATE = 500 mg/kg	
54240-36-7		Mabuterol hydrochloride	< 1 %
		oral: ATE = 500 mg/kg	
37158-47-7		Clenpenterol hydrochloride	< 1 %
		oral: ATE = 500 mg/kg	
1435935-00-4		Clenisopenterol hydrochloride	< 1 %
		oral: ATE = 500 mg/kg	
54239-37-1		Cimaterol	< 1 %
		oral: ATE = 500 mg/kg	
41937-02-4		Brombuterol	< 1 %
		inhalation: Data lacking (gases); dermal: Data lacking; oral: Data lacking	
1346746-81-3		Phenylethanolamine A	< 1 %
		oral: ATE = 500 mg/kg	
37162-89-3		Hydroxymethylclenbuterol hydrochloride	< 1 %
		oral: ATE = 500 mg/kg	
		Orciprenaline acetate	< 1 %
		oral: LD50 = 5538 mg/kg	
		Terbutaline acetate	< 1 %
		oral: LD50 = 8700 mg/kg	
90274-24-1		Ractopamine hydrochloride	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg	
1944-12-3		Fenoterol hydrobromide	< 1 %
		oral: LD50 = 1600 mg/kg	
579-56-6		erythro-Isoxsuprine hydrochloride	< 1 %
		oral: LD50 = 1750 mg/kg	
119520-06-8		Zilpaterol hydrochloride	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 1325 mg/kg	
1613439-57-8		Carbuterol acetate	< 1 %
		oral: LD50 = 3453 mg/kg	
21898-19-1		Clenbuterol hydrochloride	< 1 %
		oral: LD50 = 147 mg/kg	
18559-94-9		Salbutamol	< 1 %
		oral: LD50 = 660 mg/kg	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 6 of 14

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO<sub>2</sub>).

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### Other information

Take up dust-free and set down dust-free.

#### 6.4. Reference to other sections

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

##### Advice on general occupational hygiene

Use personal protection equipment.

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 7 of 14

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

##### Further information on storage conditions

storage temperature: 2-8°C

#### 7.3. Specific end use(s)

none

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

#### 8.2. Exposure controls

##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection

##### Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

##### Skin protection

lab coat

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Water solubility:		No data available
Solubility in other solvents		
	No data available	
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Density:		No data available

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 8 of 14

Relative vapour density:

No data available

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### **Other safety characteristics**

Evaporation rate:

No data available

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

Reacts with : Oxidising agent, Alkali (lye), Etchant and acids

#### **10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

#### **10.3. Possibility of hazardous reactions**

No known hazardous reactions.

#### **10.4. Conditions to avoid**

Do not expose to temperatures exceeding 50 °C/122 °F.

#### **10.5. Incompatible materials**

Oxidising agent, Alkali (lye), Etchant and acids

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated: Pyrolysis products, toxic.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 9 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol; ethyl alcohol				
	oral	LD50 mg/kg 6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS	
78982-84-0	Bromchlorbuterol hydrochloride				
	oral	ATE mg/kg 500			
54239-39-3	Cimbuterol				
	oral	Data lacking			
	dermal	Data lacking			
	inhalation	Data lacking			
56776-01-3	Tulobuterol hydrochloride				
	oral	LD50 mg/kg 850	Rat		
1435934-75-0	Clencyclohexerol hydrochloride				
	oral	ATE mg/kg 500			
54240-36-7	Mabuterol hydrochloride				
	oral	ATE mg/kg 500			
37158-47-7	Clenpenterol hydrochloride				
	oral	ATE mg/kg 500			
1435935-00-4	Clenisopenterol hydrochloride				
	oral	ATE mg/kg 500			
54239-37-1	Cimaterol				
	oral	ATE mg/kg 500			
41937-02-4	Brombuterol				
	oral	Data lacking			
	dermal	Data lacking			
	inhalation	Data lacking			
1346746-81-3	Phenylethanolamine A				
	oral	ATE mg/kg 500			
37162-89-3	Hydroxymethylclenbuterol hydrochloride				
	oral	ATE mg/kg 500			
	Orciprenaline acetate				
	oral	LD50 mg/kg 5538	Rat		
	Terbutaline acetate				

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 10 of 14

	oral	LD50 mg/kg	8700	Rat		
90274-24-1	Ractopamine hydrochloride					
	oral	ATE mg/kg	500			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
1944-12-3	Fenoterol hydrobromide					
	oral	LD50 mg/kg	1600	Rat		
579-56-6	erythro-Isoxsuprine hydrochloride					
	oral	LD50 mg/kg	1750	Rat		
119520-06-8	Zilpaterol hydrochloride					
	oral	LD50 mg/kg	1325	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
	inhalation vapour	ATE	11 mg/l			
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat		
1613439-57-8	Carbuterol acetate					
	oral	LD50 mg/kg	3453	Rat		
21898-19-1	Clenbuterol hydrochloride					
	oral	LD50 mg/kg	147	Mouse		
18559-94-9	Salbutamol					
	oral	LD50 mg/kg	660	Rat		

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 11 of 14

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	
54239-39-3	Cimbuterol					
	Aquatic toxicity	Data lacking				
41937-02-4	Brombuterol					
	Aquatic toxicity	Data lacking				

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1170
<b>14.2. UN proper shipping name:</b>	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 12 of 14



Classification code: F1  
Special Provisions: 144 601  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 30  
Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Special Provisions: 144 601  
Limited quantity: 5 L  
Excepted quantity: E1

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: 144 223  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-D

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: A3 A58 A180  
Limited quantity Passenger: 10 L  
Passenger LQ: Y344  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 355  
IATA-max. quantity - Passenger: 60 L

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 13 of 14

IATA-packing instructions - Cargo: 366  
IATA-max. quantity - Cargo: 220 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No transport as bulk according to IBC Code.

#### 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

#### Other applicable information

Hazchem code: •2Y

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

Flam. Liq: Flammable liquids  
Acute Tox: Acute toxicity  
Skin Irrit: Skin irritation  
Eye Irrit: Eye irritation  
Resp. Sens: Respiratory sensitisation  
Skin Sens: Skin sensitisation  
Repr: Reproductive toxicity  
STOT SE: Specific target organ toxicity - single exposure  
Aquatic Acute: Acute aquatic hazard

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H320 Causes eye irritation.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H360D May damage the unborn child.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.

## Safety Data Sheet

according to UK REACH Regulation

### Beta agonists Mix; various concentrations in Ethanol (Mix 1)

Revision date: 16.04.2026

Product code: BA\_MIX017-AMP

Page 14 of 14

#### Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*