

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Reference standard for analysis.

##### 1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH  
Street: James-Franck-Strasse 4  
Place: D-12489 Berlin  
Telephone: +493063922001      Telefax: +493063922007  
E-mail: witega@witega.de  
Internet: www.witega.de

##### 1.4. Emergency telephone number:

+493063922001

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Hazard Statements:  
Highly flammable liquid and vapour.  
Toxic if swallowed, in contact with skin or if inhaled.  
Causes serious eye irritation.  
Causes damage to organs.

##### 2.2. Label elements

###### GB CLP Regulation

Signal word: Danger

Pictograms:



###### Hazard statements

H225 Highly flammable liquid and vapour.  
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.  
H319 Causes serious eye irritation.  
H370 Causes damage to organs.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P381 In case of leakage, eliminate all ignition sources.

##### 2.3. Other hazards

No data available

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 2 of 13

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 3 of 13

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
75-05-8	acetonitrile; cyanomethane			85 - < 90 %
	200-835-2	608-001-00-3		
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319			
67-56-1	methanol			5 - < 10 %
	200-659-6	603-001-00-X		
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			
129-20-4	Oxyphenbutazone			< 1 %
	Acute Tox. 4, Aquatic Acute 1; H302 H400			
50-33-9	Phenylbutazone			< 1 %
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, STOT SE 3; H332 H312 H302 H315 H335			
4394-00-7	Niflumic acid			< 1 %
	Acute Tox. 3, Aquatic Chronic 4; H301 H413			
530-78-9	Flufenamic acid			< 1 %
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2; H301 H315 H319			
644-62-2	Meclofenamic acid			< 1 %
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H301 H332 H315 H319 H335			
13710-19-5	Tolfenamic acid			< 1 %
	Acute Tox. 4; H302			
71109-09-6	Vedaprofen			< 1 %
	275-196-6			
	Acute Tox. 4; H302			
75369-61-8	5-Hydroxyflunixin			< 1 %
	Acute Tox. 4; H302			
61-68-7	Mefenamic acid			< 1 %
	Acute Tox. 4; H302			
38677-85-9	Flunixin			< 1 %
	Acute Tox. 1, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Aquatic Chronic 3; H330 H301 H312 H315 H412			
22071-15-4	Ketoprofen			< 1 %
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H301 H315 H319 H335			
53716-49-7	Carprofen			< 0.1 %
	Acute Tox. 3; H301			
71125-38-7	Meloxicam			< 0.1 %
	Acute Tox. 3; H301			
15687-27-1	Ibuprofen			< 0.1 %
	Acute Tox. 4, Eye Irrit. 2, STOT SE 3; H302 H319 H335			
22204-53-1	(+)-Naproxen			< 0.1 %
	Repr. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 2; H361fd H302 H315 H319 H335 H411			
69-72-7	salicylic acid			< 0.1 %
	200-712-3	607-732-00-5		

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 4 of 13

	Repr. 2, Acute Tox. 4, Eye Dam. 1; H361d H302 H318	
15307-86-5	Diclofenac	< 0.1 %
	Repr. 2, Acute Tox. 3, STOT RE 1; H361d H301 H372	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
75-05-8	200-835-2	acetonitrile; cyanomethane	85 - < 90 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 988 mg/kg; oral: ATE = 500 mg/kg	
67-56-1	200-659-6	methanol	5 - < 10 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
129-20-4		Oxyphenbutazone	< 1 %
		oral: ATE = 500 mg/kg	
50-33-9		Phenylbutazone	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	
4394-00-7		Niflumic acid	< 1 %
		oral: LD50 = 250 mg/kg	
530-78-9		Flufenamic acid	< 1 %
		oral: LD50 = 249 mg/kg	
644-62-2		Meclofenamic acid	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = 2.8 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 87 mg/kg	
13710-19-5		Tolfenamic acid	< 1 %
		oral: LD50 = 500 mg/kg	
71109-09-6	275-196-6	Vedapofen	< 1 %
		oral: LD50 = 222-317 mg/kg	
75369-61-8		5-Hydroxyflunixin	< 1 %
		oral: ATE = 500 mg/kg	
61-68-7		Mefenamic acid	< 1 %
		oral: LD50 = 740 mg/kg	
38677-85-9		Flunixin	< 1 %
		inhalation: ATE = 0,05 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg	
22071-15-4		Ketoprofen	< 1 %
		oral: LD50 = 62 mg/kg	
53716-49-7		Carprofen	< 0.1 %
		oral: LD50 = 74 mg/kg	
71125-38-7		Meloxicam	< 0.1 %
		oral: LD50 = 84 mg/kg	
15687-27-1		Ibuprofen	< 0.1 %
		oral: LD50 = 1600 mg/kg	
22204-53-1		(+)-Naproxen	< 0.1 %
		oral: LD50 = 534 mg/kg	
69-72-7	200-712-3	salicylic acid	< 0.1 %
		oral: ATE = 500 mg/kg	
15307-86-5		Diclofenac	< 0.1 %
		oral: LD50 = 62,5 mg/kg	

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 5 of 13

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

###### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

###### After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

###### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

###### After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

##### 4.2. Most important symptoms and effects, both acute and delayed

No data available

##### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO<sub>2</sub>).

##### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

##### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

##### 6.3. Methods and material for containment and cleaning up

###### Other information

Take up dust-free and set down dust-free.

##### 6.4. Reference to other sections

Disposal: see section 13

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 6 of 13

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

#### Advice on general occupational hygiene

Use personal protection equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

##### Further information on storage conditions

storage temperature: 2-8°C

#### 7.3. Specific end use(s)

none

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
75-05-8	Acetonitrile	40	68		TWA (8 h)	WEL
		60	102		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection

##### Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

##### Skin protection

lab coat

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	Alcohol	
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 7 of 13

Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	No data available
Water solubility:	No data available
Solubility in other solvents	No data available
No data available	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	No data available
Relative vapour density:	No data available

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### **Other safety characteristics**

Evaporation rate:

No data available

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

Reacts with : Oxidising agent, Alkali (lye), Etchant and acids

#### **10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

#### **10.3. Possibility of hazardous reactions**

No known hazardous reactions.

#### **10.4. Conditions to avoid**

Do not expose to temperatures exceeding 50 °C/122 °F.

#### **10.5. Incompatible materials**

Oxidising agent, Alkali (lye), Etchant and acids

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated: Pyrolysis products, toxic.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Acute toxicity**

Toxic if swallowed, in contact with skin or if inhaled.

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-05-8	acetonitrile; cyanomethane				
	oral	ATE 500 mg/kg			
	dermal	LD50 988 mg/kg	Rabbit	IUCLID	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
67-56-1	methanol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
129-20-4	Oxyphenbutazone				
	oral	ATE 500 mg/kg			
50-33-9	Phenylbutazone				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
4394-00-7	Niflumic acid				
	oral	LD50 250 mg/kg	Rat		
530-78-9	Flufenamic acid				
	oral	LD50 249 mg/kg	Rat		
644-62-2	Meclofenamic acid				
	oral	LD50 87 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		
	inhalation vapour	ATE 11 mg/l			
	inhalation (4 h) dust/mist	LC50 2.8 mg/l	Rat		
13710-19-5	Tolfenamic acid				
	oral	LD50 500 mg/kg	Rat		
71109-09-6	Vedaprofen				
	oral	LD50 222-317 mg/kg			
75369-61-8	5-Hydroxyflunixin				
	oral	ATE 500 mg/kg			
61-68-7	Mefenamic acid				

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 9 of 13

	oral	LD50 mg/kg	740	Rat		
38677-85-9	Flunixin					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	0,05 mg/l			
	inhalation dust/mist	ATE mg/l	0,005			
22071-15-4	Ketoprofen					
	oral	LD50	62 mg/kg	Rat		
53716-49-7	Carprofen					
	oral	LD50	74 mg/kg	Rat		
71125-38-7	Meloxicam					
	oral	LD50	84 mg/kg	Rat		
15687-27-1	Ibuprofen					
	oral	LD50 mg/kg	1600	Rat		
22204-53-1	(+) -Naproxen					
	oral	LD50 mg/kg	534	Rat		
69-72-7	salicylic acid					
	oral	ATE mg/kg	500			
15307-86-5	Diclofenac					
	oral	LD50 mg/kg	62,5	Rat		

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Causes damage to organs.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 10 of 13

Based on available data, the classification criteria are not met.

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
75-05-8	acetonitrile; cyanomethane					
	Acute fish toxicity	LC50 mg/l	1640	96 h	Pimephales promelas	IUCLID
22204-53-1	(+) -Naproxen					
	Acute fish toxicity	LC50	52 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute crustacea toxicity	EC50	37 mg/l	48 h	Daphnia magna (Big water flea)	

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile; cyanomethane	-0,34

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

##### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 11 of 13



Classification code: F1  
 Special Provisions: 274 601 640C  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 33  
 Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1993  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Classification code: F1  
 Special Provisions: 274 601 640C  
 Limited quantity: 1 L  
 Excepted quantity: E2

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1993  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-E, S-E

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1993  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Special Provisions: A3  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y341  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 353  
 IATA-max. quantity - Passenger: 5 L

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 12 of 13

IATA-packing instructions - Cargo: 364

IATA-max. quantity - Cargo: 60 L

#### **14.6. Special precautions for user**

No transport as bulk according to IBC Code.

#### **14.7. Maritime transport in bulk according to IMO instruments**

No transport as bulk according to IBC Code.

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 69, Entry 75

##### **National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### **Abbreviations and acronyms**

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

#### **Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

## Safety Data Sheet

according to UK REACH Regulation

### NSAID mix; various concentrations in Acetonitrile/Methanol 9:1 (v/v) (Mix G)

Revision date: 17.04.2026

Product code: NS\_MIX001-AMP

Page 13 of 13

H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*