

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reference standard for analysis.

1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH
Street: James-Franck-Strasse 4
Place: D-12489 Berlin
Telephone: +493063922001 Telefax: +493063922007
E-mail: witega@witega.de
Internet: www.witega.de

1.4. Emergency telephone number:

+493063922001

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Hazard Statements:
Highly flammable liquid and vapour.
Toxic if swallowed, in contact with skin or if inhaled.
Causes serious eye irritation.
Causes damage to organs.

2.2. Label elements

GB CLP Regulation

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H370 Causes damage to organs.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P381 In case of leakage, eliminate all ignition sources.

2.3. Other hazards

No data available

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 2 of 13

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 3 of 13

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
67-56-1	methanol	45 - < 50 %
	200-659-6	603-001-00-X
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370	
75-05-8	acetonitrile; cyanomethane	45 - < 50 %
	200-835-2	608-001-00-3
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319	
1220-83-3	Sulfamonomethoxine	< 1 %
	Skin Irrit. 2, Eye Irrit. 2B, Skin Sens. 1, STOT SE 3; H315 H320 H317 H335	
57-68-1	Sulfadimidine	< 1 %
723-46-6	Sulfamethoxazole	< 1 %
	Repr. 2, Aquatic Chronic 2; H361fd H411	
80-32-0	Sulfachloropyridazine	< 1 %
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, Aquatic Acute 1; H302 H315 H319 H334 H317 H335 H400	
127-79-7	Sulfamerazine	< 1 %
	Acute Tox. 4; H302	
122-11-2	Sulfadimethoxine	< 1 %
	Acute Tox. 4; H302	
72-14-0	Sulfathiazole	< 1 %
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 3; H315 H319 H335 H412	
127-69-5	Sulfisoxazole (Sulfafurazole)	< 1 %
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335	
144-82-1	Sulfamethizole	< 1 %
	Skin Sens. 1; H317	
2447-57-6	Sulfadoxine	< 1 %
	Skin Sens. 1, Aquatic Chronic 2; H317 H411	
68-35-9	Sulfadiazine	< 1 %
	Repr. 2, Acute Tox. 4, Aquatic Chronic 2; H361 H302 H411	
599-79-1	Sulfasalazine	< 1 %
	Carc. 2, Repr. 2, Resp. Sens. 1, Skin Sens. 1, Aquatic Chronic 2; H351 H361f H334 H317 H411	
144-83-2	Sulfapyridine	< 1 %
	Repr. 2; H361fd	
80-35-3	Sulfamethoxypyridazine	< 1 %
	Resp. Sens. 1, Skin Sens. 1; H334 H317	
57-67-0	Sulfaguanidine	< 1 %
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335	
63-74-1	Sulfanilamide	< 1 %
1672-91-9	Sulfachlorpyrazine	< 1 %

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 4 of 13

	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335		
59-40-5	Sulfaquinoxaline		< 1 %
	Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1; H302 H334 H317		
102-65-8	Sulfachloropyrazine (Sulfaclozine)		< 1 %
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335		
80-08-0	dapsone; 4,4'-diamino diphenyl sulfone		< 1 %
	201-248-4	612-084-00-1	
	Acute Tox. 4; H302		

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 5 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
67-56-1	200-659-6	methanol	45 - < 50 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
75-05-8	200-835-2	acetonitrile; cyanomethane	45 - < 50 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 988 mg/kg; oral: ATE = 500 mg/kg	
1220-83-3		Sulfamonomethoxine	< 1 %
		oral: LD50 = >10000 mg/kg	
723-46-6		Sulfamethoxazole	< 1 %
		oral: LD50 = 2300 mg/kg	
80-32-0		Sulfachloropyridazine	< 1 %
		oral: ATE = 500 mg/kg	
127-79-7		Sulfamerazine	< 1 %
		oral: LD50 = 1500 mg/kg	
122-11-2		Sulfadimethoxine	< 1 %
		oral: LD50 = 1000 mg/kg	
72-14-0		Sulfathiazole	< 1 %
		oral: LD50 = 4500 mg/kg	
127-69-5		Sulfisoxazole (Sulfafurazole)	< 1 %
		oral: LD50 = 10000 mg/kg	
144-82-1		Sulfamethizole	< 1 %
		oral: LD50 = 3500 mg/kg	
2447-57-6		Sulfadoxine	< 1 %
		oral: LD50 = 5200 mg/kg	
68-35-9		Sulfadiazine	< 1 %
		oral: LD50 = 1500 mg/kg	
599-79-1		Sulfasalazine	< 1 %
		oral: LD50 = 15600 mg/kg	
144-83-2		Sulfapyridine	< 1 %
		oral: LD50 = 15800 mg/kg	
80-35-3		Sulfamethoxyipyridazine	< 1 %
		oral: LD50 = 2739 mg/kg	
63-74-1		Sulfanilamide	< 1 %
		oral: LD50 = 3900 mg/kg	
59-40-5		Sulfaquinoxaline	< 1 %
		oral: LD50 = 1370 mg/kg	
102-65-8		Sulfachloropyrazine (Sulfaclozine)	< 1 %
		oral: ATE = 500 mg/kg	
80-08-0	201-248-4	dapsone; 4,4'-diamino diphenyl sulfone	< 1 %
		oral: ATE = 500 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 6 of 13

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up dust-free and set down dust-free.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

Use personal protection equipment.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 7 of 13

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

Further information on storage conditions

storage temperature: 2-8°C

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
75-05-8	Acetonitrile	40	68		TWA (8 h)	WEL
		60	102		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection

Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

lab coat

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	dark yellow	
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Water solubility:		No data available
Solubility in other solvents		No data available
	No data available	

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 8 of 13

Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	No data available
Relative vapour density:	No data available

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: No data available

Gas: No data available

Other safety characteristics

Evaporation rate: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with : Oxidising agent, Alkali (lye), Etchant and acids

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

10.5. Incompatible materials

Oxidising agent, Alkali (lye), Etchant and acids

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled.

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 9 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-56-1	methanol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
75-05-8	acetonitrile; cyanomethane				
	oral	ATE 500 mg/kg			
	dermal	LD50 988 mg/kg	Rabbit	IUCLID	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
1220-83-3	Sulfamonomethoxine				
	oral	LD50 >10000 mg/kg	Rat		
723-46-6	Sulfamethoxazole				
	oral	LD50 2300 mg/kg	Mouse		
80-32-0	Sulfachloropyridazine				
	oral	ATE 500 mg/kg			
127-79-7	Sulfamerazine				
	oral	LD50 1500 mg/kg	Mouse		
122-11-2	Sulfadimethoxine				
	oral	LD50 1000 mg/kg	Rabbit		
72-14-0	Sulfathiazole				
	oral	LD50 4500 mg/kg	Mouse		
127-69-5	Sulfisoxazole (Sulfafurazole)				
	oral	LD50 10000 mg/kg	Rat		
144-82-1	Sulfamethizole				
	oral	LD50 3500 mg/kg	Rat		
2447-57-6	Sulfadoxine				
	oral	LD50 5200 mg/kg	Mouse		
68-35-9	Sulfadiazine				
	oral	LD50 1500 mg/kg	Mouse		
599-79-1	Sulfasalazine				
	oral	LD50 15600 mg/kg	Rat		

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 10 of 13

144-83-2	Sulfapyridine					
	oral	LD50 mg/kg	15800	Rat		
80-35-3	Sulfamethoxyipyridazine					
	oral	LD50 mg/kg	2739	Rat		
63-74-1	Sulfanilamide					
	oral	LD50 mg/kg	3900	Rat		
59-40-5	Sulfaquinoxaline					
	oral	LD50 mg/kg	1370	Rat		
102-65-8	Sulfachloropyrazine (Sulfaclozine)					
	oral	ATE mg/kg	500			
80-08-0	dapsone; 4,4'-diamino diphenyl sulfone					
	oral	ATE mg/kg	500			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
75-05-8	acetonitrile; cyanomethane					
	Acute fish toxicity	LC50 mg/l	1640	96 h	Pimephales promelas	IUCLID
723-46-6	Sulfamethoxazole					
	Acute fish toxicity	LC50 mg/l	562.5	96 h	Oryzias latipes (Ricefish)	

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 11 of 13

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile; cyanomethane	-0,34

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1230
<u>14.2. UN proper shipping name:</u>	METHANOL
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	II
Hazard label:	3+6.1



Classification code:	FT1
Special Provisions:	279
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	336
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	UN 1230
<u>14.2. UN proper shipping name:</u>	METHANOL
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	II
Hazard label:	3+6.1

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 12 of 13



Classification code: FT1
Special Provisions: 279 802
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1230
14.2. UN proper shipping name: METHANOL
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3+6.1



Special Provisions: 279
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1230
14.2. UN proper shipping name: METHANOL
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3+6.1



Special Provisions: A113
Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2
IATA-packing instructions - Passenger: 352
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.6. Special precautions for user

No transport as bulk according to IBC Code.

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

Other applicable information

Hazchem code: •2WE

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
Entry 40, Entry 69, Entry 75

Safety Data Sheet

according to UK REACH Regulation

Sulfonamides Mix; various concentrations in Methanol/Acetonitrile 1:1 (Mix I)

Revision date: 17.04.2026

Product code: SA_MIX006-AMP

Page 13 of 13

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

Flam. Liq: Flammable liquids
Acute Tox: Acute toxicity
Skin Irrit: Skin irritation
Eye Irrit: Eye irritation
Resp. Sens: Respiratory sensitisation
Skin Sens: Skin sensitisation
Carc: Carcinogenicity
Repr: Reproductive toxicity
STOT SE: Specific target organ toxicity - single exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H370	Causes damage to organs.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)